

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
A01	370	480	970	1 EA
	선경:SK-1610			EA



손세정대(370파이볼)

모델명	SK-1610
규격	370×480×970mm
무게	15kg
구조 및 특징	1구 페달식 손세정대, 물비누통 장착/원형 / 볼사이즈:Ø 370

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNJUMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE. WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNJUMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD.O		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		
DRAWING NO.				MARK	REVISION CONTENT	DATE	
PRODUCT NAME : 손세정대/페달식							

PROJECT NAME : 서정대학교

• 본 도면은 당사의 재산이므로, 당사의 동의없이 무단복사나 열람목적에 사용추진 않습니다.

• 본 사양은 품질향상을 위해 예고없이 변경될 수 있습니다.

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
A02		15M		1 EA



ALL RIGHTS RESERVED. THE DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, D		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 청소용 호스릴							

PROJECT NAME : 서정대학교

• 본 도면은 당사의 재산자료로, 당사의 동의없이 무단복사나 영업목적에 사용해서는 안 됩니다.

• 본 사양은 품질향상을 위해 예고없이 변경될 수 있습니다.

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
A03	1200	800	1900	1 EA
HA-EW1200Y				



전기 온장고 (HA-EW1200Y) 양문형 앞, 뒤

배식 전 음식을 따뜻하게 보관 할 수 있습니다. ※ 부분 유리문 주문 제작 가능합니다.

모델명	HA-EW1200Y
규격	1200×800×1900
소비전력	1760W

ALL RIGHTS RESERVED. THE DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGN JR	CHECKED BY	HEAD, D		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 전기식기소독기/양문형							

PROJECT NAME : 서정대학교

• 본 도면은 당사의 재산자료로, 당사의 동의없이 무단복사나 영업목적에 사용해서는 안됩니다.

• 본 사양은 품질향상을 위해 예고없이 변경될 수 있습니다.


간접
냉각



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
A04	1260	850	1910	1 EA
라셀르:LP-1045R-4G				




제품 사양 정보

냉각 방식	[자동성에 제거] 간접냉각 방식 (간냉식)
용량	냉장 4 (냉장 1045L)
온도 범위	냉장 -3°C ~ +7°C
소비 전류	2.5A
소비 전력	550W
외형 규격 (mm)	1260(W) x 850(D) x 1910(H)
제품 중량	225kg
재질	고급 스테인레스
전원	220V/60Hz



ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 음식보냉고/유리문/양문형							

PROJECT NAME : 서정대학교







ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
A05	800	700	850	1 EA
PRODUCT INFORMATION LIST				
NO.	PART NAME		MATERIAL	TYPE
1	상판		STS - 304	1.2 m/m
2	온도조절기		0°C-120°C	
3	표시램프		적색램프(전원), 녹색램프(작동)	
4	전원스위치		ON/OFF	
5	몸체		STS - 304	1.0 m/m
6	조정식다리		STS - 304	가공품
7	수조		STS - 304	1.0 m/m
8	히타		1P 220V	2.6 KW
9	히타커버		STS - 304	1.0 m/m
10	배수밸브		BALL VALVE	20A
11	입수밸브		BALL VALVE	15A
12	볼플로트 스위치			
13	T.C 센서			
14	바닥보강		STS - 304	1.2 m/m
14	GN 1/1 팬		STS - 304	별도구매

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		
DRAWING NO.		MARK			REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 반찬보온배식대/2구/하부찬장							

PROJECT NAME : 서정대학교

*본 도면은 당사의 재산이므로, 당사의 동의없이 무단복사나 영업목적에 사용하지 못합니다.

*본 사양은 품질향상을 위해 예고없이 변경될 수 있습니다.






ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
A06	600	600	850	2 EA
				EA
PRODUCT INFORMATION LIST				
NO.	PART NAME	MATERIAL	TYPE	
1	상판	STS - 304	1.2 m/m	
2	가이드파이프	STS - 304	Ø19	
3	몸체	STS - 304	1.2 m/m	
4	바퀴	RUBBER	Ø5"(FREE)	
5	포스트링	STS - 304	Ø33	
6	베어링		Ø19	
7	스프링	SPS	하중에따라결정	
8	문	STS - 304	1.0 m/m	
9	스프링걸이대	STS - 304	2.0 m/m	
10	볼트	STS - 304	Ø3/16"	
11	바퀴	RUBBER	Ø5"(FIX)	

제품의 특징

- 1.스프링의 수량은 사용식기의 무게에 따라 결정한다 (길이 및 직경동일)
- 2.상.하 조정치수를 최대로 하여 제작할것.
- 3.외부 규격은 사용식기의 크기에 따라 변동될수 있음.
- 4.포스트링 및 베어링은 특수가공 제품과 최상품을 사용한다.

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME :					식기디스펜서		

PROJECT NAME : 서정대학교



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
A07	600	600	850	2 EA

PRODUCT INFORMATION LIST




NO.	PART NAME	MATERIAL	TYPE
1	뚜껑	STS - 304	1.2 m/m
2	경첩	STS - 304	
3	뚜껑손잡이	STS - 304	1.2 m/m
4	운반손잡이	STS - 304	Ø32*1.2 m/m
5	국통	STS - 304	1.2 m/m
6	히타	1P 220V	2.6 KW
7	전원스위치	ON/OFF	
8	표시램프	적색램프(전원), 녹색램프(작동)	
9	온도조절기	30°C - 120°C	
10	방수 커버	연질 투명 P.V.C	
11	배수밸브	BALL TYPE	25A
12	바퀴	URETHANE	Ø 4"
13	바퀴	URETHANE	Ø 4"
14	몸체	STS - 304	1.2 m/m
15	배수손잡이		
16	하부 타공 커버	STS - 304	0.8 m/m

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME :				국보온운반차			

PROJECT NAME : 서정대학교

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
A08	1500	300	350	2 EA
				EA

PRODUCT INFORMATION LIST				
NO.	PART NAME	MATERIAL		STANDARD
1	유리			10mm
2	파이프	STS-304	25	1.2mm





ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 스니즈가드/대면형							



PROJECT NAME : 서정대학교

* 본 도면은 당사의 재산이므로, 당사의 동의없이 무단복사나 열람목적에 사용금지 합니다.

* 본 사양은 통상시장용 규격 예고임이 변경될 수 있습니다.



SECTION TOP





ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
A09	1500	700	850	2 EA
				EA

PRODUCT INFORMATION LIST



NO.	PART NAME	MATERIAL	TYPE
1	상판	STS - 304	1.2 m/m
2	몸체	STS - 304	1.2 m/m
3	조정식다리	STS - 304	가공품

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 국배식대							

PROJECT NAME : 서정대학교



SECTION TOP



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
A11	900	400	850	1 EA
				EA

PRODUCT INFORMATION LIST

NO.	PART NAME	MATERIAL	TYPE
1	보강	STS - 304	1.2 m/m
2	상판	STS - 304	1.5 m/m
3	앞치마	STS - 304	0.8 m/m
4	다리	STS - 304	□40*40*1.2 m/m
5	선반	STS - 304	1.2 m/m
6	조정식다리		가공품
7	하부보강	STS - 304	1.2 m/m

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 작업대/하부선반							

PROJECT NAME : 서정대학교



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
A12	1500	600	850	1 EA

*수동점화타입

*STS430

*1500(울)

*시그마K1버너=13

*뒤방열판150*20

*65,000 kcal/hr



뒤 방열판 없이 평평하게 제작!!

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 가스절감고화력렌지/13구							

PROJECT NAME : 서정대학교


* 본 도면은 당사의 재산이므로, 당사의 동의없이 무단복사나 영업목적에 사용금지 합니다.

* 본 사양은 품질향상을 위해 예고없이 변경할 수 있습니다.



- 1) 상기사항은 마감선이 2700mm일 경우이며,
- 2) 배기후드 1대 설치에 필요한 부품임.
- 3) 한 셋트로 구분하여 처리 요망.

※ HEIGHT 실측후, 담당자는 설치시
안전에 항상 주의하고, 확인을 요함.



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
A13	1700	800	600	1 EA
				EA
				EA
				EA
				EA

NO.	PART NAME	MATERIAL	TYPE
1	배출덕트후렌지	STS - 304	1.2 m/m
2	뚜껑	STS - 304	1.0 m/m
3	걸이사슬		Ø5-8m/m
4	모서리보강대	STS - 304	1.5 m/m
5	몸체	STS - 304	1.0 m/m
6	휠타	STS - 304	FECON FILTER
7	휠타몸체	STS - 304	0.8 m/m
8	턴버클		5/16"
9	배수밸브	BALL VALVE	
10	배기후드 LED 램프	1P 220V	

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNILMETAL CO., Ltd. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNILMETAL CO., Ltd.

DRAWN BY	DESIGNER	CHECKED BY	HEAD, O		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION


PRODUCT NAME :

배기후드/유지망/램프

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
A13-1				



<STS Fecon Active Filter>



<풍압, 정압, 스크린 성능 분석표>







<Fecon Active Filter Mechanism>

1. Fecon Active Filter는 45° 경사지게 Canopy에 장착되며 Baffle System으로 스크린 된 유지분은 Canopy에 설치된 연결 Gutter로 흘러 배수가 되도록 설계
2. 각 Fecon Active Filter 는 탈착이 쉽도록 손잡이가 설치
3. Fecon Active Filter 는 규격이 다양하여 어느 규격의 Canopy에도 장착이 쉬우며 설치 각도에 따라 필터를 통과하는 유속을 최대화 하여 유지분이 최대로 스크린 함.
4. Fecon Active Filter 는 STS304 1.0~1.2mm로 제작되었으며 필터 프레임 상,하부에 수증기, 유증기가 쉽게 드레인 되도록 10%의 Free Area를 제공하는 Slot Hole 설치
5. Fecon Active Filter 는 세제에 대한 내성이 있으며 어느 상업용 식기 세척기에서도 세척이 가능하도록 제작
6. Fecon Active Filter는 호텔, 병원등 대형 주방 환기시스템에서 배출되는 유증기로부터 유지분 입자를 제거 할 목적으로 설계되었으며 필터의 반원형 Inter-Locking Blade를 통과하는 공기에 많은 원심력으로 풍량과 정압에 따라 최고 96%의 유지분을 스크린 하는 효과가 있다

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.											
DRAWN BY		DESIGNER		CHECKED BY		HEAD, Q			SECOND ISSUE		
SCALE		N / S		PAGE		1 OF 1			FIRST ISSUE		
DRAWING NO		1		S				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 배기후드 페콘 필터											





ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
A15	980	385	280	1 EA
		UV-5		



ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 자외선수저소독기/5구							

PROJECT NAME : 서정대학교



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
B01	980	385	280	1 EA
		UV-5		



ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 자외선수저소독기/5구							




PROJECT NAME : 서정대학교

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
B02	4400	1250	1820	1 EA
				EA



ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD.D	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		
DRAWING NO.				MARK	REVISION CONTENT	DATE	
PRODUCT NAME : 프리미엄 배식대/가구형							

PROJECT NAME : 서정대학교





ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
B03	600	600	850	1 EA

PRODUCT INFORMATION LIST



NO.	PART NAME	MATERIAL	TYPE
1	뚜껑	STS - 304	1.2 m/m
2	경첩	STS - 304	
3	뚜껑손잡이	STS - 304	1.2 m/m
4	운반손잡이	STS - 304	Ø32*1.2 m/m
5	국통	STS - 304	1.2 m/m
6	히타	1P 220V	2.6 KW
7	전원스위치	ON/OFF	
8	표시램프	적색램프(전원), 녹색램프(작동)	
9	온도조절기	30°C - 120°C	
10	방수 커버	연질 투명 P.V.C	
11	배수밸브	BALL TYPE	25A
12	바퀴	URETHANE	Ø 4"
13	바퀴	URETHANE	Ø 4"
14	몸체	STS - 304	1.2 m/m
15	배수손잡이		
16	하부 타공 커버	STS - 304	0.8 m/m

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME :					국보온운반차		

PROJECT NAME : 서정대학교



SECTION TOP



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
B04	900	400	850	1 EA
				EA

PRODUCT INFORMATION LIST

NO.	PART NAME	MATERIAL	TYPE
1	보강	STS - 304	1.2 m/m
2	상판	STS - 304	1.5 m/m
3	앞치마	STS - 304	0.8 m/m
4	다리	STS - 304	□40*40*1.2 m/m
5	선반	STS - 304	1.2 m/m
6	조정식다리		가공품
7	하부보강	STS - 304	1.2 m/m

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 작업대/하부선반							

PROJECT NAME : 서정대학교

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
B05	1200	600	850	1 EA



*수동점화타입
 *STS430
 *1200(올)
 *시그마K1버너=10
 *뒤방열판150*20
 *49,000 kcal/hr



뒤 방열판 없이 평평하게 제작!!

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, O		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 가스절감고화력렌지/10구							

PROJECT NAME : 서정대학교


* 본 도면은 당사의 재산이므로, 당사의 동의없이 무단복사나 열람목적에 사용금지 합니다.

* 본 사양은 통상적사항을 위해 예고임이 변경될 수 있습니다.



- 1) 상기사항은 마감선이 2700mm일 경우이며,
- 2) 배기후드 1대 설치에 필요한 부품임.
- 3) 한 셋트로 구분하여 처리 요망.

※ HEIGHT 실측후, 담당자는 설치시
안전에 항상 주의하고, 확인을 요함.




PRODUCT INFORMATION LIST			
NO.	PART NAME	MATERIAL	TYPE
1	배출덕트후렌지	STS - 304	1.2 m/m
2	뚜껑	STS - 304	1.0 m/m
3	걸이사슬		Ø5-8m/m
4	모서리보강대	STS - 304	1.5 m/m
5	몸체	STS - 304	1.0 m/m
6	휠타	STS - 304	FECON FILTER
7	휠타몸체	STS - 304	0.8 m/m
8	턴버클		5/16"
9	배수밸브	BALL VALVE	
10	배기후드 LED 램프	1P 220V	

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED IS PROPERTY OF SUNBELT MFG. CO. LLC, AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THIS DRAWING WAS BEING MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNBELT MFG. CO. LLC.									
DRAWN BY	DESIGNER	CHECKED BY	HEAD. O		SECOND ISSUE				
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE				NAME
DRAWING NO.				MARK	REVISION CONTENT		DATE		DESCRIPTION
PRODUCT NAME : 배기후드/유지망/램프									

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
B06-1				



<STS Fecon Active Filter>




<풍압, 정압, 스크린 성능 분석표>



<Fecon Active Filter Mechanism>

1. Fecon Active Filter는 45° 경사지게 Canopy에 장착되며 Baffle System으로 스크린 된 유지분은 Canopy에 설치된 연결 Gutter로 흘러 배수가 되도록 설계
2. 각 Fecon Active Filter 는 탈착이 쉽도록 손잡이가 설치
3. Fecon Active Filter 는 규격이 다양하여 어느 규격의 Canopy에도 장착이 쉬우며 설치 각도에 따라 필터를 통과하는 유속을 최대화 하여 유지분이 최대로 스크린 함.
4. Fecon Active Filter 는 STS304 1.0~1.2mm로 제작되었으며 필터 프레임 상,하부에 수증기, 유증기가 쉽게 드레인 되도록 10%의 Free Area를 제공하는 Slot Hole 설치
5. Fecon Active Filter 는 세제에 대한 내성이 있으며 어느 상업용 식기 세척기에서도 세척이 가능하도록 제작
6. Fecon Active Filter는 호텔, 병원등 대형 주방 환기시스템에서 배출되는 유증기로부터 유지분 입자를 제거 할 목적으로 설계되었으며 필터의 반원형 Inter-Locking Blade를 통과하는 공기에 많은 원심력으로 풍량과 정압에 따라 최고 96%의 유지분을 스크린 하는 효과가 있다


ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.										
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q		SECOND ISSUE					
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE					
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION			
PRODUCT NAME :										
배기후드 페콘 필터										



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
B07	640	800	1910	1 EA
라셀르:LH-525R				

제품사양정보

용량	508L
온도범위	온장 +40℃ ~ +70℃
소비 전류	2A
소비 전력	430W
외형규격(mm)	640(W) x 800(D) x 1910(H)
제품중량	141kg
재질	고급 스테인레스
전원	220V/60Hz



ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, O		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 음식보온고/유리문							

PROJECT NAME : 서정대학교

* 본 도면은 당사의 재산이므로, 당사의 동의없이 무단복사나 열람목적에 사용금지 합니다.

* 본 사양은 통상환경을 위해 예고없이 변경될 수 있습니다.


간접
냉각



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
B08	640	800	1910	1 EA
라셀르:LS-525R-2G				

제품사양정보


냉각방식	[자동 성에 제거] 간접냉각방식(간냉식)
용량	냉장 2 (냉장 500ℓ)
온도범위	냉장 0℃ ~ +7℃
소비 전류	2A
소비 전력	440W
외형규격(mm)	640(W) x 800(D) x 1910(H)
제품중량	110kg
재질	고급 스테인레스
전원	220V/60Hz





ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 음식보냉고/유리문							

PROJECT NAME : 서정대학교

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
B09	640	800	1910	1 EA
라셀르:KF-605F				



※ 내부 길이 표시




모 델 명 KF-605F
용 량 냉동 517ℓ
S i z e 640 x 800 x 1910mm
무 게 100kg
온도 범위 $-21^{\circ}\text{C} \pm 2^{\circ}\text{C}$


ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION

PRODUCT NAME :	보존식냉동고
----------------	--------


PROJECT NAME : 서정대학교



조립식냉동/장실 평면도



바닥 상세도



현장설비 시공분 주방시공업체 시공분

조립식냉장실/냉동실 배수배관상세도

반드시 현장 실측 후 제작 바람. 치수는 현장사정에 의해 변동될 수 있습니다.


PROJECT NAME : 서정대학교

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
C01	2440	2500	2700	1 SET


SPECIFICATION (건축공사)

- 배수배관은 냉장실 외벽+500mm 마감 (주방기구시공), 이후 트랜치연결 배관 설비공사
- 냉동냉장실 바닥은 주방바닥 마감과 동일높이로 무근콘크리트 타설(건축공사)
- 냉동/냉장실 바닥부분은 슬라브에서 -200mm 다운슬라브
- 실외기 패드는 건축에서 공사한다.

각부 설치부품 상세평면도




각부 설치부품 상세평면도




ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNL METAL CO. LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNL METAL CO. LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q	SECOND ISSUE			
SCALE	N / S	PAGE	1 OF 1	FIRST ISSUE			NONE
DRAWING NO		MARK	REVISION CONTENT	DATE			DESCRIPTION

PRODUCT NAME :	조립식냉장실/내외부STS/기계:반밀폐
----------------	----------------------


* 본 사양은 품질향상이나 기타여건에 의해 예고없이 변경될 수 있습니다.



조립식냉동/장실 평면도



바닥 상세도




현장설비 시공분 주방시공업체 시공분

반드시 현장 실측 후 제작 바람. 치수는 현장사정에 의해 변동될 수 있습니다.

조립식냉장실/냉동실 배수배관상세도

PROJECT NAME : 서정대학교




ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
C02	2000	2500	2700	1 SET


SPECIFICATION (건축공사)

- 배수배관은 냉장실 외벽+500mm 마감 (주방기구시공), 이후 트랜치연결 배관 설비공사
- 냉동냉장실 바닥은 주방바닥 마감과 동일높이로 무근콘크리트 타설(건축공사)
- 냉동/냉장실 바닥부분은 슬라브에서 -200mm 다운슬라브
- 실외기 패드는 건축에서 공사한다.

각부 설치부품 상세평면도






각부 설치부품 상세평면도



ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNL METAL CO., LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNL METAL CO., LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q	SECOND ISSUE			
SCALE	N / S	PAGE	1 OF 1	FIRST ISSUE			NONE
DRAWING NO.		MARK	REVISION CONTENT	DATE			DESCRIPTION
PRODUCT NAME : 조립식냉동실/내외부STS/기계:반밀폐							

* 본 사양은 품질향상이나 기타여건에 의해 예고없이 변경될 수 있습니다.



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
C03	1150	600	1800	4 EA
C04	1200	600	1800	1 EA
C05	1500	600	1800	2 EA


PRODUCT INFORMATION LIST			
NO.	PART NAME	MATERIAL	STANDARD
01	상판	STS-304	1.0 MM
02	보강대	STS-304	1.0 MM
03	선반 다리	STS-304	□40x40
04	조정발		
05	타공선반	STS-304	1.0 MM

* 타공수량과 타공치수는 달라질수 있음

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 냉동냉장실선반/4단							

PROJECT NAME : 서정대학교

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
C06	1100	1100	150	2 EA
				EA



30mm 들어간 고무팩킹
타회사 제품에 비해 고무팩킹이 깊이 박혀있어 빠질 염려가 전혀 없으므로 운반 및 수송시 훨씬 안전합니다.



비접착(One-Shot) 몰딩
접착부분이 없어 지게차 운반시에도 깨질 염려가 전혀 없는 경제적이고, 내구성 강한 설계로 제작되었습니다.
안전성 또한 우수합니다.



엠보싱 처리된 상판그릴
제품을 쌓아올리는 파렛트상판 부분의 표면을 미끄러지지 않도록 엠보싱 처리하여 작업 및 운반이 용이하며 안전성 또한 우수합니다.






세로 접착 몰딩
타회사 제품이 가로접착 방식으로 지게차 운반시 깨지기 쉬운 단점을 세로접착 방식으로 개선하여 깨질 염려가 없고 내구성 또한 탁월합니다.

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, D		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 곡물받침대							

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
C10	900	600	1100	1 EA
				EA

PRODUCT INFORMATION LIST

NO.	PART NAME	MATERIAL	TYPE
1	세로보강대	STS - 304	1.5 m/m
2	상판	STS - 304	1.5 m/m
3	손잡이	STS - 304	Ø32*1.2 m/m
4	뒷판	STS - 304	1.5 m/m
5	후레임브라켓	STS - 304	3.0 m/m
6	회전바퀴	RUBBER	Ø5" (FREE)
7	고정바퀴	RUBBER	Ø5" (FIX)






ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNMETAL CO.,LTD.									
DRAWN BY	DESIGNER	CHECKED BY	HEAD.D	△	SECOND ISSUE				
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE				
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION		
PRODUCT NAME :					엘형운반차				

PROJECT NAME : 서정대학교

* 본 도면은 당사의 재산이므로, 당사의 동의없이 무단복사나 영업목적에 사용하지 못합니다.

* 본 사양은 품질향상을 위해 예고없이 변경될 수 있습니다.






ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D01	1500	750	850	1 EA

PRODUCT INFORMATION LIST			
NO.	PART NAME	MATERIAL	TYPE
1	싱크	STS - 304	1.2 m/m
2	상판	STS - 304	1.5 m/m
3	앞치마	STS - 304	0.8 m/m
4	다리	STS - 304	□ 40*40*1.2 m/m
5	선반	STS - 304	1.2 m/m
6	대형드레인	P.V.C	
7	조정식다리		
8	넘침방지구	P.V.C	

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME :				1조세정대/하부선반			

PROJECT NAME : 서정대학교







ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D02	1500	750	850	1 EA

PRODUCT INFORMATION LIST			
NO.	PART NAME	MATERIAL	TYPE
1	싱크	STS - 304	1.2 m/m
2	상판	STS - 304	1.5 m/m
3	앞치마	STS - 304	0.8 m/m
4	다리	STS - 304	□40*40*1.2 m/m
5	선반	STS - 304	1.2 m/m
6	대형드레인	P.V.C	
7	조정식다리		
8	넵침방지구	P.V.C	

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME :				2조세정대/하부선반			

PROJECT NAME : 서정대학교



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D03	1500	750	850	5 EA
				EA
PRODUCT INFORMATION LIST				
NO.	PART NAME	MATERIAL	TYPE	
1	보강	STS - 304	1.2 m/m	
2	상판	STS - 304	1.5 m/m	
3	앞치마	STS - 304	0.8 m/m	
4	다리	STS - 304	□40*40*1.2 m/m	
5	선반	STS - 304	1.2 m/m	
6	조정식다리		가공품	
7	하부보강	STS - 304	1.2 m/m	




3대는 백 없이 제작
2대는 백(50*150) 부착 제작

PROJECT NAME : 서정대학교

* 본 도면은 당사의 재산이므로, 당사의 동의없이 무단복사나 열람목적에 사용금지 합니다.

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 작업대/하부선반							

* 본 사양은 통상시장용 규격 예고있어 변경될 수 있습니다.



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D04	1500	750	850	1 EA
				EA
PRODUCT INFORMATION LIST				
NO.	PART NAME	MATERIAL	STANDARD	
1	연소구	STS - 304	1.2 m/m	
2	부침판	SS41	12MM	
3	점화용파이프			
4	기름구멍	STS		
5	브라켓	AL		
6	가스밸브	항동	8A	
7	몸체	STS - 304	0.8MM	
8	가스메인관	STS		
9	기름받이서랍	STS		
10	다리	STS	40X40	
11	조정발		가공품	
12	자동점화밸브			
13	버너	주물	일자버너	

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME :					가스그릴/하부선반		




PROJECT NAME : 서정대학교

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D05	1500	750	850	1 EA
				EA

PRODUCT INFORMATION LIST

NO.	PART NAME	MATERIAL	STANDARD
1	상판	STS - 304	1.2 MM
2	가스버너	주철	2열2구
3	삼발이	주철	
4	가스밸브	황동	8A
5	가스메인관	STS	
6	자동점화밸브		
7	몸체	STS - 304	0.8MM
8	오물받이서랍	STS	
9	다리	STS	
10	하부선반	STS - 304	0.8MM
11	조정발		가공품


ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, D	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 가스높은렌지/3구/하부선반							




PROJECT NAME : 서정대학교

* 본 도면은 당사의 재산이므로, 당사의 동의없이 무단복사나 열람목적에 사용금지 합니다.

* 본 사양은 통상시장용 규격 예고있어 변경될 수 있습니다.





[HOOD 설치]
셋트앙카 - I-너트 - 스텐퀵링크 - 체인 - 턴버클



NOTE :
1) 상기사항은 마감선이 2700mm일 경우이며,
2) 배기후드 1대 설치에 필요한 부품임.
3) 한 셋트로 구분하여 처리 요망.

※ 본 도면의 목적은 천정에 후드를 설치하기전,
후드문제를 해결하는데 목적이 있음.
※ HEIGHT 실측후, 담당자는 설치시
안전에 항상 주의하고, 확인을 요함.



PROJECT NAME : 서정대학교

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D06	1700	1900	600	1 EA
				EA
				EA
				EA
				EA

PRODUCT INFORMATION LIST


NO.	PART NAME	MATERIAL	TYPE
1	뚜껑	STS - 304	1.0 m/m
2	배출덕트후렌지	STS - 304	1.2 m/m
3	걸이사슬		Ø5-8m/m
4	턴버클		5/16"
5	모서리보강대	STS - 304	1.5 m/m
6	몸체	STS - 304	1.0 m/m
7	휠타	STS - 304	
8	배수밸브	BALL VALVE	
9	배기후드 LED 램프	1P 220V	

ALL RIGHTS RESERVED. THE DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 배기후드/유지망/램프/중앙형							

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D06-1				



<STS Fecon Active Filter>






<풍압, 정압, 스크린 성능 분석표>



<Fecon Active Filter Mechanism>

1. Fecon Active Filter는 45° 경사지게 Canopy에 장착되며 Baffle System으로 스크린 된 유지분은 Canopy에 설치된 연결 Gutter로 흘러 배수가 되도록 설계
2. 각 Fecon Active Filter 는 탈착이 쉽도록 손잡이가 설치
3. Fecon Active Filter 는 규격이 다양하여 어느 규격의 Canopy에도 장착이 쉬우며 설치 각도에 따라 필터를 통과하는 유속을 최대화 하여 유지분이 최대로 스크린 함.
4. Fecon Active Filter 는 STS304 1.0~1.2mm로 제작되었으며 필터 프레임 상,하부에 수증기, 유증기가 쉽게 드레인 되도록 10%의 Free Area를 제공하는 Slot Hole 설치
5. Fecon Active Filter 는 세제에 대한 내성이 있으며 어느 상업용 식기 세척기에서도 세척이 가능하도록 제작
6. Fecon Active Filter는 호텔, 병원등 대형 주방 환기시스템에서 배출되는 유증기로부터 유지분 입자를 제거 할 목적으로 설계되었으며 필터의 반원형 Inter-Locking Blade를 통과하는 공기에 많은 원심력으로 풍량과 정압에 따라 최고 96%의 유지분을 스크린 하는 효과가 있다



ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.								
DRAWN BY		DESIGNER		CHECKED BY		HEAD, Q		
								
						SECOND ISSUE		
SCALE		N / S		PAGE		1 OF 1		
								
						FIRST ISSUE		
DRAWING NO					MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME :								
배기후드 페콘 필터								



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D07	1500	750	450	1 EA
				EA
PRODUCT INFORMATION LIST				
NO.	PART NAME	MATERIAL	STANDARD	
1	상판	STS - 304	1.2 MM	
2	가스버너	주철	3열3구	
3	가스밸브	황동	8A	
4	가스메인관	STS		
5	공기조절관	STS	가공품	
6	조정발		가공품	
7	브라켓트	AL	가공품	
8	삼발이	주철		
9	자동점화밸브			


ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 가스낮은렌지/2구							

PROJECT NAME : 서정대학교



- 1) 상기사항은 마감선이 2700mm일 경우이며,
- 2) 배기후드 1대 설치에 필요한 부품임.
- 3) 한 셋트로 구분하여 처리 요망.

- ※ 본 도면의 목적은 천정에 후드를 설치하기전,
후드문제를 해결하는데 목적이 있음.
- ※ HEIGHT 실측후, 담당자는 설치시
안전에 항상 주의하고, 확인을 요함.



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D08	1900	900	600	1 EA
				EA
				EA
				EA
				EA

NO.	PART NAME	MATERIAL	TYPE
1	배출덕트후렌지	STS - 304	1.2 m/m
2	뚜껑	STS - 304	1.0 m/m
3	걸이사슬		Ø5-8m/m
4	모서리보강대	STS - 304	1.5 m/m
5	몸체	STS - 304	1.0 m/m
6	휠타	STS - 304	FECON FILTER
7	휠타몸체	STS - 304	0.8 m/m
8	턴버클		5/16"
9	배수밸브	BALL VALVE	
10	배기후드 LED 램프	1P 220V	

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED IS PROPERTY OF SUNJIMTEL.CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MOVED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNJIMTEL.CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, O		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION


PRODUCT NAME : 배기후드/유지망/램프

PROJECT NAME : 서정대학교

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D08-1				



<STS Fecon Active Filter>



<풍압, 정압, 스크린 성능 분석표>



<Fecon Active Filter Mechanism>

1. Fecon Active Filter는 45° 경사지게 Canopy에 장착되며 Baffle System으로 스크린 된 유지분은 Canopy에 설치된 연결 Gutter로 흘러 배수가 되도록 설계
2. 각 Fecon Active Filter 는 탈착이 쉽도록 손잡이가 설치
3. Fecon Active Filter 는 규격이 다양하여 어느 규격의 Canopy에도 장착이 쉬우며 설치 각도에 따라 필터를 통과하는 유속을 최대화 하여 유지분이 최대로 스크린 함.
4. Fecon Active Filter 는 STS304 1.0~1.2mm로 제작되었으며 필터 프레임 상,하부에 수증기, 유증기가 쉽게 드레인 되도록 10%의 Free Area를 제공하는 Slot Hole 설치
5. Fecon Active Filter 는 세제에 대한 내성이 있으며 어느 상업용 식기 세척기에서도 세척이 가능하도록 제작
6. Fecon Active Filter는 호텔, 병원 등 대형 주방 환기시스템에서 배출되는 유증기로부터 유지분 입자를 제거 할 목적으로 설계되었으며 필터의 반원형 Inter-Locking Blade를 통과하는 공기에 많은 원심력으로 풍량과 정압에 따라 최고 96%의 유지분을 스크린 하는 효과가 있다

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNMETAL CO.,LTD.															
DRAWN BY		DESIGNER		CHECKED BY		HEAD, Q				SECOND ISSUE					
SCALE		N / S		PAGE		1 OF 1				FIRST ISSUE					
DRAWING NO		1		2		3		MARK		REVISION CONTENT		DATE		DESCRIPTION	
PRODUCT NAME :															
배기후드 페콘 필터															

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D09	1200	600	1800	2 EA
PRODUCT INFORMATION LIST				
NO.	PART NAME	MATERIAL	STANDARD	
01	상판	STS-304	1.0 MM	
02	보강대	STS-304	1.0 MM	
03	선반 다리	STS-304	□40x40	
04	조정 발			
05	타공선반	STS-304	1.0 MM	

* 타공수량과 타공치수는 달라질수 있음

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 다단식선반/4단							

PROJECT NAME : 서정대학교

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D10	1200	600	1900	1 EA
			선경:SK-UV12083	



복합소독기 (앞치마,위생복)

모델명	SK-UV12083
규격	1200×600×1900mm
정격전압	220V 60Hz
소비전력	3kW
무게	110kg
용량	위생복 12벌, 앞치마 12벌
구조 및 특징	바지걸이 레일부착, 앞뒤 고리로 앞치마고정

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, O		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 자외선 복합소독기(앞치마,위생복)							

PROJECT NAME : 서정대학교

• 본 도면은 당사의 재산비밀로, 당사의 동의없이 무단복사나 영업목적에 사용금지 합니다.

• 본 사양은 품질향상을 위해 예고없이 변경될 수 있습니다.

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D11	700	600	1900	1 EA
			선경:SK-UV01271	



장화(신발)소독기

모델명	SK-UV01271
규격	700×600×1900mm
정격전압	220V 60Hz
소비전력	1450W
무게	51kg
용량	장화12구용

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE. WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD.O	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 자외선 장화소독기/12구							

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D12	370	480	970	1 EA
			선경:SK-1610	EA



손세정대(370파이볼)




모델명	SK-1610
규격	370×480×970mm
무게	15kg
구조 및 특징	1구 페달식 손세정대, 물비누통 장착/원형 / 볼사이즈:Ø 370

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNJUMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE. WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNJUMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD.O		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		
DRAWING NO.				MARK	REVISION CONTENT	DATE	
PRODUCT NAME : 손세정대/페달식							

PROJECT NAME : 서정대학교

• 본 도면은 당사의 재산이므로, 당사의 동의없이 무단복사나 열람목적에 사용추진 않습니다.

• 본 사양은 품질향상을 위해 예고없이 변경될 수 있습니다.






ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D13	1500	600	1800	1 EA

PRODUCT INFORMATION LIST			
NO.	PART NAME	MATERIAL	STANDARD
01	상판	STS-304	1.0 MM
02	보강대	STS-304	1.0 MM
03	선반 다리	STS-304	□40x40
04	조정 발		
05	타공선반	STS-304	1.0 MM

* 타공수량과 타공치수는 달라질수 있음

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, O		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 다단식선반/4단							




PROJECT NAME : 서정대학교



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D14	1550	1120	920	1 EA
		500인용		
PRODUCT INFORMATION LIST				
NO.	PART NAME	MATERIAL	STANDARD	
1	뚜 경	STS-304	0.8MM	
2	뚜경지지대	STS-304	2.0 MM	
3	핸 들	AL		
4	뚜경손잡이	STS-304	Ø 12	
5	카 플 링	황동	15A	
6	다 리	STS-304	50*30* 2.0 MM	
7	메 인 관	STS		
8	공기조절기	STS		
9	내부술		스텐 또는 주물	
10	자동점화밸브			
11	밸브	황동	8A	
12	조정발		가공품	
13	기어카바	ABS	가공품	
14	외부술	SPHC(철판)	2.0MM	
15	버너		Z-버너	

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.													
DRAWN BY		DESIGNER		CHECKED BY		HEAD, Q		△		SECOND ISSUE			
SCALE		N / S		PAGE		1 OF 1		△		FIRST ISSUE			NONE
DRAWING NO								MARK		REVISION CONTENT		DATE	DESCRIPTION
PRODUCT NAME : 가스화전식국솥/스텐내피													



PROJECT NAME : 서정대학교



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D15	1480	1040	885	1 EA
		300인		
PRODUCT INFORMATION LIST				
NO.	PART NAME	MATERIAL	STANDARD	
1	뚜 경	STS-304	0.8MM	
2	뚜경지지대	STS-304	2.0 MM	
3	헨 들	AL		
4	뚜경손잡이	STS-304	Ø 12	
5	카 플 링	황동	15A	
6	다 리	STS-304	50*30* 2.0 MM	
7	메 인 관	STS		
8	공기조절기	STS		
9	내부술		스텐 또는 주물	
10	자동점화밸브			
11	밸브	황동	8A	
12	조정발		가공품	
13	기어카바	ABS	가공품	
14	외부술	SPHC(철판)	2.0MM	
15	버너		Z-버너	


ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.									
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q	△	SECOND ISSUE				
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE				NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION		
PRODUCT NAME : 가스화전식국솥/주물내피									

PROJECT NAME : 서정대학교



- 1) 상기사항은 마감선이 2700mm일 경우이며,
- 2) 배기후드 1대 설치에 필요한 부품임.
- 3) 한 셋트로 구분하여 처리 요망.

※ HEIGHT 실측후, 담당자는 설치시
안전에 항상 주의하고, 확인을 요함.



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D16	1800	1400	600	2 EA
				EA
				EA
				EA
				EA

NO.	PART NAME	MATERIAL	TYPE
1	배출덕트후렌지	STS - 304	1.2 m/m
2	뚜껑	STS - 304	1.0 m/m
3	걸이사슬		Ø5-8m/m
4	모서리보강대	STS - 304	1.5 m/m
5	몸체	STS - 304	1.0 m/m
6	휠타	STS - 304	FECON FILTER
7	휠타몸체	STS - 304	0.8 m/m
8	턴버클		5/16"
9	배수밸브	BALL VALVE	
10	배기후드 LED 램프	1P 220V	


ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED IS PROPERTY OF SUNMETAL CO. LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING WAS BEING MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNMETAL CO. LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NAME
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION

* 본 사안은 품질향상을 위해 예고없이 변경될 수 있습니다.

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D16-1				



<STS Fecon Active Filter>



<풍압, 정압, 스크린 성능 분석표>



<Fecon Active Filter Mechanism>

1. Fecon Active Filter는 45° 경사지게 Canopy에 장착되며 Baffle System으로 스크린 된 유지분은 Canopy에 설치된 연결 Gutter로 흘러 배수가 되도록 설계
2. 각 Fecon Active Filter 는 탈착이 쉽도록 손잡이가 설치
3. Fecon Active Filter 는 규격이 다양하여 어느 규격의 Canopy에도 장착이 쉬우며 설치 각도에 따라 필터를 통과하는 유속을 최대화 하여 유지분이 최대로 스크린 함.
4. Fecon Active Filter 는 STS304 1.0~1.2mm로 제작되었으며 필터 프레임 상,하부에 수증기, 유증기가 쉽게 드레인 되도록 10%의 Free Area를 제공하는 Slot Hole 설치
5. Fecon Active Filter 는 세제에 대한 내성이 있으며 어느 상업용 식기 세척기에서도 세척이 가능하도록 제작
6. Fecon Active Filter는 호텔, 병원등 대형 주방 환기시스템에서 배출되는 유증기로부터 유지분 입자를 제거 할 목적으로 설계되었으며 필터의 반원형 Inter-Locking Blade를 통과하는 공기에 많은 원심력으로 풍량과 정압에 따라 최고 96%의 유지분을 스크린 하는 효과가 있다

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNMETAL CO.,LTD.															
DRAWN BY		DESIGNER		CHECKED BY		HEAD, Q				SECOND ISSUE					
SCALE		N / S		PAGE		1 OF 1				FIRST ISSUE			NONE		
DRAWING NO								MARK		REVISION CONTENT		DATE		DESCRIPTION	
PRODUCT NAME :															
배기후드 페콘 필터															



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D17	850	842	1014	1 EA
	라치오날:ICC101E			EA




01.용량	10×1/1GN
02.식수량 (일평균)	80-150
03.표준적재용기(GN)	1/1, 1/2, 1/3, 2/3, 2/8GN
04.너비(mm)	850
05.깊이(mm)	842
06.높이(mm)	1014
07.용수공급관	R3/4
08.용수배수관	DN50
09.수압	1.0-6.0bar
10. 전기식 - 무게	127kg
11. 전기식 - 소비전력	18.9kW
12. 전기식 - 퓨즈	3x32A
13. 전기식 - 전원연결	3NAC380V
14. 전기식 - 건열출력	18kW
15. 전기식 - 습열출력	18kW

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, O		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		
DRAWING NO				MARK	REVISOR CONTENT	DATE	
PRODUCT NAME : 콤비스티머/10단							

PROJECT NAME : 서정대학교

* 본 도면은 당사의 재산이므로, 당사의 동의없이 무단복사나 열람목적에 사용하지 않습니다.

* 본 사양은 통상적사항을 위해 예고정이 변경될 수 있습니다.



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D18	850	850	600	1 EA
PRODUCT INFORMATION LIST				
NO.	PART NAME	MATERIAL	TYPE	
1	다리	STS - 304	□ 40*40*1.2 m/m	
2	선반	STS - 304	1.2 m/m	
3	조정식다리		가공품	
4	상판	STS - 304	1.5 m/m	

*우측카 팬걸이대 설치

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.													
DRAWN BY		DESIGNER		CHECKED BY		HEAD, 		SECOND ISSUE					
SCALE		N / S		PAGE		1 OF 1				FIRST ISSUE			NONE
DRAWING NO.						MARK		REVISION CONTENT		DATE		DESCRIPTION	
PRODUCT NAME : 오븐받침대													



PROJECT NAME : 서정대학교

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D19				1 EA
EVERPURE				




상품명 : 에바퓨어 MC2 정수필터
원산지 : 미국
규격 : 530mm x 80mm(가로x세로)
사용기한 : 수질 및 사용량에 따라 상이
용도 : 커피머신, 핫디스펜서, 제빙기 등
정수용량 : 9,000갤런(34,000리터)
사용압력 : 10~125psi(0.7~8.5bar)
수온 : 2~38도씨
분당 정수량 : 1.67gpm(6.3리터)
제품의 특징 : MC2 필터는 상수도용으로 필터 내부에 사용되는 은이온이 세균을 번식하지 못하도록 하는 독특한 기능으로 정수된 물에서는 먹는물 관리 법의 일반세균 100마리 기준으로 적합합니다. 또한 MC2필터는 0.5Mircron 이상의 모든 미립자를 99%이상 제거하는 기능을 가지고 있으며, 염소 제거 능력이 뛰어 납니다.

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNJMETAL CO., LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNJMETAL CO., LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 정수필터							



- 1) 상기사항은 마감선이 2700mm일 경우이며,
- 2) 배기후드 1대 설치에 필요한 부품임.
- 3) 한 셋트로 구분하여 처리 요망.

※ HEIGHT 실측후, 담당자는 설치시
안전에 항상 주의하고, 확인을 요함.



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D20	1200	1200	600	1 EA
				EA
				EA
				EA
				EA

NO.	PART NAME	MATERIAL	TYPE
1	배출덕트후렌지	STS - 304	1.2 m/m
2	뚜껑	STS - 304	1.0 m/m
3	걸이사슬		Ø5-8m/m
4	모서리보강대	STS - 304	1.5 m/m
5	몸체	STS - 304	1.0 m/m
6	휠타	STS - 304	FECON FILTER
7	휠타몸체	STS - 304	0.8 m/m
8	턴버클		5/16"
9	배수밸브	BALL VALVE	
10	배기후드 LED 램프	1P 220V	

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNJIMETAL CO.,LTD.
AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH
THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNJIMETAL CO.,LTD.

DRAWN BY	DESIGNER	CHECKED BY	HEAD, O		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION


PRODUCT NAME :

배기후드/유지망/램프

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D20-1				



<STS Fecon Active Filter>





<풍압, 정압, 스크린 성능 분석표>



<Fecon Active Filter Mechanism>


1. Fecon Active Filter는 45° 경사지게 Canopy에 장착되며 Baffle System으로 스크린 된 유지분은 Canopy에 설치된 연결 Gutter로 흘러 배수가 되도록 설계
2. 각 Fecon Active Filter 는 탈착이 쉽도록 손잡이가 설치
3. Fecon Active Filter 는 규격이 다양하여 어느 규격의 Canopy에도 장착이 쉬우며 설치 각도에 따라 필터를 통과하는 유속을 최대화 하여 유지분이 최대로 스크린 함.
4. Fecon Active Filter 는 STS304 1.0~1.2mm로 제작되었으며 필터 프레임 상,하부에 수증기, 유증기가 쉽게 드레인 되도록 10%의 Free Area를 제공하는 Slot Hole 설치
5. Fecon Active Filter 는 세제에 대한 내성이 있으며 어느 상업용 식기 세척기에서도 세척이 가능하도록 제작
6. Fecon Active Filter는 호텔, 병원등 대형 주방 환기시스템에서 배출되는 유증기로부터 유지분 입자를 제거 할 목적으로 설계되었으며 필터의 반원형 Inter-Locking Blade를 통과하는 공기에 많은 원심력으로 풍량과 정압에 따라 최고 96%의 유지분을 스크린 하는 효과가 있다

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNMETAL CO.,LTD.										
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q		SECOND ISSUE					
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE					
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION			
PRODUCT NAME :										
배기후드 페콘 필터										



- 1) 상기사항은 마감선이 2700mm일 경우이며,
- 2) 배기후드 1대 설치에 필요한 부품임.
- 3) 한 셋트로 구분하여 처리 요망.

※ HEIGHT 실측후, 담당자는 설치시
안전에 항상 주의하고, 확인을 요함.



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D22	1800	1200	600	1 EA
				EA
				EA
				EA
				EA

NO.	PART NAME	MATERIAL	TYPE
1	배출덕트후렌지	STS - 304	1.2 m/m
2	뚜껑	STS - 304	1.0 m/m
3	걸이사슬		Ø5-8m/m
4	모서리보강대	STS - 304	1.5 m/m
5	몸체	STS - 304	1.0 m/m
6	휠타	STS - 304	FECON FILTER
7	휠타몸체	STS - 304	0.8 m/m
8	턴버클		5/16"
9	배수밸브	BALL VALVE	
10	배기후드 LED 램프	1P 220V	

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUN-METAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THIS DRAWING WAS HEREAFORE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUN-METAL CO.,LTD.

DRAWN BY	DESIGNER	CHECKED BY	HEAD	△	SECOND ISSUE			
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE			NONE
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION	


PRODUCT NAME : 배기후드/유지망/램프

PROJECT NAME : 서정대학교

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D22-1				



<STS Fecon Active Filter>



<풍압, 정압, 스크린 성능 분석표>



<Fecon Active Filter Mechanism>

1. Fecon Active Filter는 45° 경사지게 Canopy에 장착되며 Baffle System으로 스크린 된 유지분은 Canopy에 설치된 연결 Gutter로 흘러 배수가 되도록 설계
2. 각 Fecon Active Filter 는 탈착이 쉽도록 손잡이가 설치
3. Fecon Active Filter 는 규격이 다양하여 어느 규격의 Canopy에도 장착이 쉬우며 설치 각도에 따라 필터를 통과하는 유속을 최대화 하여 유지분이 최대로 스크린 함.
4. Fecon Active Filter 는 STS304 1.0~1.2mm로 제작되었으며 필터 프레임 상,하부에 수증기, 유증기가 쉽게 드레인 되도록 10%의 Free Area를 제공하는 Slot Hole 설치
5. Fecon Active Filter 는 세제에 대한 내성이 있으며 어느 상업용 식기 세척기에서도 세척이 가능하도록 제작
6. Fecon Active Filter는 호텔, 병원등 대형 주방 환기시스템에서 배출되는 유증기로부터 유지분 입자를 제거 할 목적으로 설계되었으며 필터의 반원형 Inter-Locking Blade를 통과하는 공기에 많은 원심력으로 풍량과 정압에 따라 최고 96%의 유지분을 스크린 하는 효과가 있다

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY		DESIGNER		CHECKED BY		HEAD, Q	
							
						SECOND ISSUE	
SCALE		N / S		PAGE		1 OF 1	
							
						FIRST ISSUE	
DRAWING NO		I		MARK		REVISION CONTENT	
						DATE	
						DESCRIPTION	
PRODUCT NAME :							
배기후드 페콘 필터							

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D23		15M		1 EA



ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNJUMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE., WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNJUMETAL CO.,LTD.										
DRAWN BY	DESIGNER	CHECKED BY	HEAD.O		SECOND ISSUE					
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE			
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION			
PRODUCT NAME :										
청소용 호스릴										

PROJECT NAME : 서정대학교



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D24	1200	600	1900	1 EA
			선경:SK-UV12053	





복합소독기 (칼, 도마, 고무장갑, 행주)

모델명	SK-UV12053
규격	1200×600×1900mm
정격전압	220V 60Hz
소비전력	3kW
무게	115kg
용량	칼15EA, 도마 1200×450×30 10EA, 고무장갑 30켤레, 행주 15EA
구조 및 특징	좌우 칸막이 분리로 인한 다용도 소독이 가능함

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE. WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 자외선 복합소독기(칼도마,고무장갑,행주)							



SECTION TOP



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D26	1200	600	850	2 EA
				EA
PRODUCT INFORMATION LIST				
NO.	PART NAME	MATERIAL	TYPE	
1	상판	STS - 304	1.5 m/m	
2	보강	STS - 304	1.2 m/m	
3	앞치마	STS - 304	0.8 m/m	
4	다리	STS - 304	□40*40*1.2 m/m	
5	바퀴보강	STS - 304	1.2 m/m	
6	바퀴	RUBBER	Ø 5"	
7	선반	STS - 304	1.2 m/m	
8	하부보강	STS - 304	1.2 m/m	

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING WAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.									
DRAWN BY	DESIGNER	CHECKED BY	HEAD. O	△	SECOND ISSUE				
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE				NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE			DESCRIPTION
PRODUCT NAME : 이동식작업대									

PROJECT NAME : 서정대학교



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D27	530	800	1080	1 EA


ALL RIGHTS RESERVED. THE DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, D		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 양념운반차							

PROJECT NAME : 서정대학교

* 본 도면은 당사의 재산자료로, 당사의 동의없이 무단복사나 영업목적에 사용해서는 안 됩니다.

* 본 사양은 품질향상을 위해 예고없이 변경될 수 있습니다.

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
D29	Ø630		700	1 EA
				EA
PRODUCT INFORMATION LIST				
NO.	PART NAME	MATERIAL	TYPE	
1	소쿠리거치대	STS-304	Ø20	
2	다 리 보 강	STS-304	Ø20	
3	다리	STS-304	Ø20	
4	바퀴		Ø4"(FREE)	



ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.

DRAWN BY

DESIGNER

CHECKED BY

HEAD, Q



SECOND ISSUE

SCALE

N / S

PAGE

1 OF 1



FIRST ISSUE

NONE

DRAWING NO

MARK

REVISION CONTENT

DATE

DESCRIPTION


PRODUCT NAME :

소쿠리운반차

PROJECT NAME : 서정대학교

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
E02	720	600	450	3 EA
				EA
PRODUCT INFORMATION LIST				
NO.	PART NAME		MATERIAL	TYPE
1	손잡이		STS - 304	Ø25*1.2 m/m
2	몸체		STS - 304	1.2 m/m
3	바퀴		RUBBER	Ø4" 회전식
4	볼밸브		BALL VALVE	20A
5	타공망		STS - 304	0.8 m/m
6	타공망 손잡이		STS - 304	
7				

*현장 실측 후 제작





PROJECT NAME : 서정대학교

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 수저저분화수차							

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
E04	5400/3300	550	850	1 EA
				EA
NO.	PART NAME		MATERIAL	TYPE
1	상판뚜껑		STS – 304	1.2 m/m
2	상판 보강		STS – 304	25*25
3	상판		STS – 304	1.5m/m
4	벨트			P304.8CHT
5	스프라켓 기어			Ø150
6	조정식다리		P.V.C	40*40
7	커버		STS – 304	1.0 m/m
8	체인			#50
9	기어드 모터		1P 220V	1/2HP or 1HP
10	콘트롤 판넬		인버터 콘트롤 1P 220V	1/2HP or 1HP

* 현장 실측 후 제작





ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNAMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNAMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD.D	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 퇴식컨베이어/ "ㄱ"자							



PROJECT NAME : 서정대학교

* 본 도면은 당사의 재산이므로, 당사의 동의없이 무단복사나 영인목적에 사용하지 않습니다.

* 본 사양은 품질향상을 위해 예고없이 변경될 수 있습니다.



"A" PART DETAIL



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
E05	900	400	850	1 EA
				EA

PRODUCT INFORMATION LIST

NO.	PART NAME	MATERIAL	TYPE
1	상판	STS - 304	1.2 m/m
2	살수관	STS - 304	□25*25*1.0m/m
3	잔반처리판	STS - 304	1.2 m/m
4	앞치마	STS - 304	1.0 m/m
5	물공급관	STS - 304	15A





ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, D	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 살수식잔반처리대							

PROJECT NAME : 서정대학교

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
E06	Ø490		590	1 EA
				EA




PRODUCT INFORMATION LIST

NO.	PART NAME	MATERIAL	TYPE
1	손잡이	STS - 304	Ø25*1.2 m/m
2	손잡이	STS - 304	Ø25*1.2 m/m
3	몸체	STS - 304	1.0 m/m
4	볼밸브	BALL VALVE	20A
5	바닥보강재	STS - 304	1.2 m/m
6	바퀴	URETHANE	Ø3회전식
7	타공망	STS - 304	0.8 m/m



ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, D	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME :				이중잔반통			

PROJECT NAME : 서정대학교



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
E07	1800	900	850	1 EA
				EA

PRODUCT INFORMATION LIST			
NO.	PART NAME	MATERIAL	TYPE
1	상판	STS - 304	1.5 m/m
2	싱크	STS - 304	1.2 m/m
3	다리	STS - 304	□40*40*1.2 m/m
4	가로보강대	STS - 304	□ 40*20*1.2 m/m
5	대형드레인	STS - 304	
6	세로보강대	STS - 304	□ 40*20*1.2 m/m
7	레버	P.V.C	
8	넘침방지구	P.V.C	
9	조정식다리		

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, D	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 담금세정대							

PROJECT NAME : 서정대학교



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
E08		15M		1 EA

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.										
DRAWN BY	DESIGNER	CHECKED BY	HEAD, D		SECOND ISSUE					
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE			
DRAWING NO				MARK	REVISOR CONTENT	DATE	DESCRIPTION			
PRODUCT NAME :										
청소용 호스릴										

PROJECT NAME : 서정대학교


ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
E09	4700	870	1800	1 EA
	SJM-F1DG			EA

SPECIFICATION	
Model	SJM-F1DG
Power	380/220V, 3PH, 26.5 kw
Size	4,700L x 870W x 1,800H
Capacity	Dish 2,100ea/hr, Tray 700ea/hr
Conveyor Speed	1.0 m/min
Drive Motor	0.2 kw
Pump Motor	Wash 2.2 kw
	Rinse 0.35 kw
Blower Motor	E/Save -
	Dry 0.75 kw
Heater	Tank 8 kw
	Dry 15 kw
Temperature	Wash 60 ~ 65 °C
	Rinse 81 ~ 92 °C
Pipe Conn.	Water 20A(1.5 kg/cm ²)
	Steam -
	Drain 40A
Wash Tank	105L
Using Water	10L/min



27	Conveyor Motor	0.2kw	
26	Stopper	sus304	
25	Sprocket	Plastic	
23	Reflector	sus304	
22	Fan Motor	0.75kw	
21	Dry Coil	Steam type	
20	Dry Nozzle	sus304	
19	Controller	PCB/ LCD	
18	Control Box	sus304	
17	Spray Nozzle	sus304	
16	Level Sensor	sus304	
15	Overflow Pipe	sus304	
14	Drain Pipe	40A	
13	Pump Motor	3Hp	
12	Wash Nozzle	Plastic	
11	Door Holder	sus304	
10	Door Spring	Plate spring	
9	Adjuster	M16 Bolt	
8	Strainer	#2.5 Punch	
7	Door	sus304	
6	Exhaust	sus304	
5	E.M.S	Push Button	
4	Curtain	P.E	
3	Flight Conveyor	Nylon/sus	
2	Tension Unit	sus304/M16	
1	Guide Plate	sus304	
Na	Name	IO tw	Remark

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNJMETAL CO., LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNJMETAL CO., LTD.					
DRAWN BY	DESIGNER	CHECKED BY	HEAD	△	SECOND ISSUE
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE
DRAWING NO				MARK	REVISION CONTENT
					DATE


PRODUCT NAME :	자동식기세척기/가스부스터포함
----------------	-----------------




INPUT WASH RINSE DRY OUTPUT



PROJECT NAME : 서정대학교





[HOOD 설치]
셋트앙카 - I-너트 - 스텐퀵링크 - 체인 - 턴버클



NOTE :
1) 상기사항은 마감선이 2700mm일 경우이며,
2) 배기후드 1대 설치에 필요한 부품임.
3) 한 셋트로 구분하여 처리 요망.

※ 본 도면의 목적은 천정에 후드를 설치하기전,
후드문제를 해결하는데 목적이 있음.
※ HEIGHT 실측후, 담당자는 설치시
안전에 항상 주의하고, 확인을 요함.



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
E10	2100	1200	600	1 EA
E11	1800	1200	600	1 EA
E12	1200	1200	600	1 EA

PRODUCT INFORMATION LIST			
NO.	PART NAME	MATERIAL	TYPE
1	배출덕트후렌지	STS - 304	1.2 m/m
2	뚜껑	STS - 304	1.0 m/m
3	걸이사슬		Ø5-8m/m
4	모서리보강대	STS - 304	1.5 m/m
5	몸체	STS - 304	1.0 m/m
6	배수밸브	BALL VALVE	
7	응축판	STS - 304	1.0 m/m
8	턴버클		5/16"

PROJECT NAME : 서정대학교

ALL RIGHTS RESERVED. THE DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, D	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME :					배기후드		



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
E13	1500	750	1950	1 EA
선경:SK-1500NF				





전기식기소독기

모델명	SK-1500NF (앞뒤양문형 제작가능)
규격	1500×750×1950mm
정격전압	220V, 380V
소비전력	6100W
무게	180kg
조정온도범위	95℃± / 최저 40℃~최고 110℃
구조 및 특징	자동온도조절 장치, 강력송풍기, 고성능 히타, 열풍순환 선반, 내열성 패킹, 이 동식 바퀴 장착

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, D	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 전기식기소독기							






SECTION TOP



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
E14	900	600	850	1 EA
				EA
PRODUCT INFORMATION LIST				
NO.	PART NAME	MATERIAL	TYPE	
1	상판	STS - 304	1.2 m/m	
2	다리	STS - 304	40*40*1.2 m/m	
3	보강	STS - 304	1.2 m/m	
4	바퀴	RUBBER	Ø5"	
5	배수구	STS - 304	Ø25*1.2 m/m	
6	선반	STS - 304	1.2 m/m	
7	앞치마	STS - 304	0.8 m/m	

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME :					이동식 식기건조대		





PROJECT NAME : 서정대학교



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
E15	750	700	850	1 EA
PRODUCT INFORMATION LIST				
NO.	PART NAME	MATERIAL	TYPE	
1	상판	STS - 304	1.2 m/m	
2	잔반구	STS - 304	가공품	
3	여달이문	STS - 304	1.0 m/m	
4	다리	STS - 304	□40*40*1.2 m/m	
5	조정식다리		가공품	
6	커버	STS - 304	1.0 m/m	

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.									
DRAWN BY	DESIGNER	CHECKED BY	HEAD, O	△	SECOND ISSUE				
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE				
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION		
PRODUCT NAME : 잔반처리대/찬장식									

PROJECT NAME : 서정대학교






ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
E16	Ø490		590	1 EA
				EA

PRODUCT INFORMATION LIST

NO.	PART NAME	MATERIAL	TYPE
1	손잡이	STS - 304	Ø25*1.2 m/m
2	손잡이	STS - 304	Ø25*1.2 m/m
3	몸체	STS - 304	1.0 m/m
4	볼밸브	BALL VALVE	20A
5	바닥보강재	STS - 304	1.2 m/m
6	바퀴	URETHANE	Ø3회전식
7	타공망	STS - 304	0.8 m/m

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT THEIR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME :					이중잔반통		

PROJECT NAME : 서정대학교



ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
E17	720	600	850	1 EA
				EA

PRODUCT INFORMATION LIST			
NO.	PART NAME	MATERIAL	TYPE
1	상판	STS - 304	1.2 m/m
2	수저통	STS - 304	0.6 m/m
3	수저통손잡이	STS - 304	1.2 m/m
4	손잡이	STS - 304	Ø25*1.2 m/m
5	몸체	STS - 304	1.0 m/m
6	다리	STS - 304	□ 40*40*1.2 m/m
7	선반	STS - 304	1.0 m/m
8	바퀴	RUBBER	Ø4"(FREE)

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE, WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, Q	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		NONE
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME :					수저저분회수차		

PROJECT NAME : 서정대학교

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
E19	600	540	1500	1 EA
			동양:A-PLUS CW06 / 전면 스텐 마감	



  한국발명진흥회 우수발명품 선정	
분류	자동 컵 세척 살균기
제품명	A-PLUS CW06
물품식별번호	23550629
규격 (mm)	600 x 540 x 1500
컵 세척량	720 EA / hour
컵 내장량	50 EA

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED IS PROPERTY OF SUNLMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNLMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD, O		SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1		FIRST ISSUE		NONE
DRAWING NO				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 자동 컵 살균 세척기							

PROJECT NAME : 서정대학교

• 본 도면은 당사의 재산비밀로, 당사의 동의없이 무단복사나 영업목적에 사용금지 합니다.

• 본 사양은 품질향상을 위해 예고없이 변경될 수 있습니다.

ITEM NO.	LENGTH	WIDTH	HEIGHT	QUANTITY
E20	1500	650	1740	1 EA
			동양:AURORA-150N	



AURORA-150N

1500*650*1740mm

- 1. 취수 형태 : 컵형 6구 (냉수 5구, 온수 1구)
- 2. 정수 방식 : 직수형 복합카본필터 2단 구성 (수도 직결형)
- 3. 컵 제공량 : 100개 / 1대
- 4. 컵 세척량 : 720개 / 1시간
- 5. 권장 식수 인원 : 450~550식 / 1시간 / 1대

ALL RIGHTS RESERVED. THIS DRAWING AND ALL INFORMATION HEREIN CONTAINED, IS PROPERTY OF SUNJUMETAL CO.,LTD. AND CANNOT BE COPIED, REPRODUCED, UTILIZED OR MODIFIED IN WHOLE OR IN PART FOR PURPOSES OTHER THAN THOSE FOR WHICH THE DRAWING HAS BEEN MADE. WITHOUT PRIOR WRITTEN AUTHORIZATION BY SUNJUMETAL CO.,LTD.							
DRAWN BY	DESIGNER	CHECKED BY	HEAD.D	△	SECOND ISSUE		
SCALE	N / S	PAGE	1 OF 1	△	FIRST ISSUE		
DRAWING NO.				MARK	REVISION CONTENT	DATE	DESCRIPTION
PRODUCT NAME : 자동 컵세척 정수 시스템							

PROJECT NAME : 서정대학교